

How to Read Mathematics

by Shai Simonson and Fernando Gouvea

Mathematics is "a language that can neither be *read* nor understood without initiation". (Emblems of Mind, Edward Rothstein, Avon Books, page 15).

A *reading protocol* is a set of strategies that a reader must use in order to benefit fully from reading the text. Poetry calls for a different set of strategies than fiction, and fiction a different set than non-fiction. It would be ridiculous to *read* fiction and ask oneself what is the author's source for the assertion that the hero is blond and tanned; it would be wrong to *read* non-fiction and not ask such a question. This reading protocol extends to a *viewing* or *listening* protocol in art and music. Indeed, much of the introductory course material in literature, music and art is spent teaching these protocols.

Mathematics has a reading protocol all its own, and just as we teach students to read literature, we should teach them to read mathematics. This article categorizes some of the strategies for a mathematics reading protocol. I am sure my readers will think of many strategies that I missed. The point is that there *is* such a protocol, that we all know and use it, and that we should make an attempt to share the secret with our students.

Introduction

Students need to learn how to read mathematics, in the same way they learn how to read a novel or a poem, listen to music, or view a painting.

When we read a novel we become absorbed in the plot and characters. We try to follow the various plot lines and how each affects the development of the characters. We make sure that the characters become real people to us, both those we admire and those we despise. We do not stop at every word, but imagine the words as brushstrokes in a painting. Even if we are not familiar with any particular word, we can still see the whole picture. We rarely stop to think about individual phrases and sentences. Instead, we let the novel sweep us along with its flow and carry us swiftly to the end. The experience is rewarding, relaxing and thought provoking.

Novelists frequently describe characters by involving them in well-chosen anecdotes, rather than by describing them by well-chosen adjectives. They portray one aspect, then another, then the first again in a new light and so on, as the whole picture grows and comes more and more into focus. This is the way to communicate complex thoughts which defy precise definition.

Both a mathematics article and a novel are telling a story and developing complex ideas. The greatest difference is that a math article does the job with a tiny fraction of the words and symbols of those used in a novel. Mathematical ideas are by nature precise and well defined, so that a precise description is possible in a very short space.

The beauty in a novel is in the aesthetic way it uses language to evoke emotions and present themes which defy precise definition. The beauty in a mathematics article is in the elegant efficient way it concisely describes precise ideas of great complexity.

What are the common mistakes people make in trying to read mathematics? How can these mistakes be corrected?

Don't Miss the Big Picture

"Reading Mathematics is not at all a linear experience ... Understanding the text requires cross references, scanning, pausing and revisiting" (ibid page 16).

Don't assume that understanding each phrase, will enable you to understand the whole idea. This is like trying to see a painting by staring at each square inch of it from the distance of your nose. You will get the detail, texture and style but miss the picture completely. A math article has a story! Try to see what the story is before you delve into the details. You can go in for a closer look once you have a framework to fill with details, just as you might reread a novel.

Don't be a Passive Reader.

Explore examples for patterns. Try special cases.

"A three-line proof of a subtle theorem is the distillation of years of activity" (ibid, page 38).

A math article usually tells only a small piece of a much larger and longer story. The author usually spends months discovering things, and going down blind alleys. At the end, he organizes it all into a story which covers up all the mistakes (and related motivation), and presents the completed idea in clean neat flow. The way to really understand the idea is to recreate for yourself what the author left out! Read between the lines.

Mathematics says a lot with a little. The reader must participate! At every stage, he must decide whether or not the idea presented was clear. Why is it true? Do I really believe it? Could I convince someone else that it is true? Why didn't the author use a different argument? Do I have a better argument or method of explaining the idea? Why didn't the author explain it the way that I understand it? Is my way wrong? Do I really get the idea? Am I missing some subtlety? Did this author miss a subtlety? If I still can't understand the point, perhaps I can understand a similar but simpler idea? Which

simpler idea? Is it really necessary to understand the idea? Perhaps I will just accept this point without understanding the details? Perhaps, my understanding of the whole story will not suffer from this?

Putting too little effort into this participation, is like reading a novel without concentrating. After half an hour, you wake up to realize the pages have turned, but you have been day dreaming and don't remember a thing you read.

Don't Read too Fast.

Reading mathematics too quickly, results in frustration. A half hour of concentration in a novel buys you 20-60 pages with full comprehension (depending on how experienced you are at reading novels). The same half hour in a math article buys you 0-3 lines (depending on how experienced you are at reading mathematics). There is no substitute for work and time. You can speed up your math reading skill by practicing, but be careful. Like any skill, trying too much too fast can set you back and kill your motivation. Imagine trying to do an hour of high energy aerobics if you have not worked out in two years. You may make it through the first class, but you are not likely to come back. The frustration from seeing the experienced class members effortlessly do twice as much as you, while you moan the whole next day from soreness, is too much to take.

Take the following theorem from Levi Ben Gershon's (13th century) manuscript *Maaseh Hoshev* (The Art of Calculation): "When you add consecutive numbers starting with 1, and the number of numbers you add is odd, the result is equal to the product of the middle number among them times the last number." It is natural for modern day mathematicians to write this as:

$2k+1$

$$\sum_{i=1}^{2k+1} i = (k+1)(2k+1)$$

A reader should take as much time unraveling the two-inch version as he would unraveling the two sentence version.

Make the Idea your Own

"Reading Mathematics ... involves a return to the thinking that went into the writing" (ibid page 16).

The best way to understand what you are reading is to make the idea your own. This means following the idea back to its origin, and rediscovering it for oneself. Mathematicians often say that to understand something you must first **read** it, then write it down in your own words, then teach it to someone else. Everyone has a different set

of tools and a different level of chunking up complicated ideas. Make the idea fit in with your own perspective.

"When I use a word, it means just what I choose it to mean" (*Alice in Wonderland*, Lewis Carroll)

"The meaning is rarely completely transparent, because every symbol or word already represents an extraordinary condensation of concept and reference" (Emblems of Mind, page 16). A well-written math text will be careful to use a word in one sense only, making a distinction, say, between *combination* and *permutation* and *arrangement*.. So we'd say that "yellow rabid dog" and "rabid yellow dog" are different arrangements of words but the same combination of words. Most English speakers would disagree. This extreme precision is utterly foreign to most fiction and poetry writing, where using multiple words, synonyms, and varying descriptions is almost required.

A reader is expected to know that an *absolute value* is not about something called a "value" that happens to be "absolute", nor is a *function* about anything functional.

A particular notorious example is the use of "It follows easily that" and equivalent constructs. It means something like this:

One can now check that the next statement is true with a certain amount of essentially mechanical, though perhaps laborious, checking. I, the author, could do it, but it would use up a large amount of space and perhaps not accomplish much, since it'd be best for you to go ahead and do the computation to clarify for yourself what's going on here. I promise that no new ideas are involved, though of course you might need to think a little in order to find just the right combination of good ideas to apply.

In other words, the construct, when used correctly is a signal to the reader that what's involved here is perhaps tedious and even difficult, but involves no deep insights. The reader is then free to decide whether the level of understanding one desires requires going through the details or warrants saying "ok, I'll accept your word for it".

Now, regardless of your opinion about whether that construct should be used, and regardless of your opinion about whether authors always use it correctly, students should be taught to read it and understand what it means. It does not mean *if you can't see this at once, you're a dope*, neither does it mean *this shouldn't take more than two minutes*. But students who don't know the lingo might interpret it that way, and feel frustrated. This is apart from the issue that one person's tedious task is another person's challenge, so the author must correctly judge the audience.

Know Thyself

Texts are written with a specific audience in mind. Make sure that you are the intended

audience, or be willing to do what it takes to become the intended audience.

T.S.Eliot's

A Song for Simeon:

*Lord, the Roman hyacinths are blooming in bowls and
The winter sun creeps by the snow hills;
The stubborn season has made stand.
My life is light, waiting for the death wind,
Like a feather on the back of my hand.
Dust in sunlight and memory in corners
Wait for the wind that chills towards the dead land.*

For example, Eliot's poem pretty much assumes that its readers are going to either know who Simeon was or be willing to find out. It also assumes that its reader will be somewhat experienced in reading poetry and/or is willing to work to gain such experience. He assumes that they will either know or investigate the allusions here. This goes beyond the "knowledge" issues in claim 1. For example, why are the hyacinths "Roman"? Why is that important?

Eliot assumes that the reader will read slowly and pay attention to the images: he juxtaposes dust and memory, relates old age to winter, compares waiting for death with a feather on the back of the hand, etc. He assumes that the reader will recognize this as poetry; in a way, he's assuming that the reader is familiar with a whole poetic tradition. The reader is supposed to notice that alternate lines rhyme, but that the others do not, and so on.

Most of all, he assumes that the reader will read not only with the mind, but also with the emotions and the imagination, allowing the images to summon up this old man, tired of life but hanging on, waiting expectantly for some crucial event, for something to happen.

Most math books are written with assumptions about the audience: that they know certain things, that they have a certain level of "mathematical maturity", etc. Before you start to read, make sure you know what the author expects you to know.

The Birthday Paradox: An Example of Mathematical Writing

To allow an opportunity to experiment with the ideas in this article, I am including a small piece of mathematics often called the birthday paradox. The first part is a concise mathematical article explaining the problem and solving it. The second is an imaginary Reader's attempt to understand the article by using the appropriate reading protocol. This article's topic is probability and is accessible to a bright and motivated reader with no background at all.

The professor in a class of 30 students offers to bet that there are at least two people in your class with the same birthday (month and day, but not necessarily year). Do you accept the bet? What if there were fewer people in the class? Would you bet then?

The birthday question asks what is the chance that among 30 random people in a room, there are at least two or more with the same birthday? We will prove that for n random people, the probability that at least two of them have the same birthday (month and day) is equal to:

$$1 - \frac{365 \times 364 \times 363 \times \dots \times (365-n+1)}{365^n}$$

For $n = 30$, the probability of at least one matching birthday is about 71%. This means that with 30 people in your class, the suspicious visitor should win the bet 71 times out of 100 in the long run. It turns out that with 23 people he should win about 50% of the time.

Here is the proof: Let $P(n)$ be the probability in question. Let $Q(n)=1-P(n)$ be the probability that no two people have a common birthday. Now calculate $Q(n)$ by calculating the total number of n possible birthdays without any duplicates and divide by the total number of n possible birthdays. Then solve for $P(n)$.

The total number of n possible birthdays without duplicates is $365 \times 364 \times 363 \times \dots \times (365-n+1)$. This is because there are 365 choices for the first birthdate, 364 for the next and so on for n birthdates. The total number of n birthdays without any restriction is just 365^n because there are 365 choices for each of n birthdays. Therefore, $Q(n)$ equals $365 \times 364 \times 363 \times \dots \times (365-n+1) / 365^n$. Solving for $P(n)$ gives $P(n) = 1-Q(n)$ and hence our result.

Our Reader Attempts to Understand the Birthday Article

In this section, a naive Reader tries to make sense out of the last few paragraphs. The Reader's part is a metaphor for the Reader thinking out loud, and the Professional's comments represent research on the Reader's part. The appropriate protocols are centered and bold at various points in the narrative.

Be aware that my Reader may seem to catch on to things relatively quickly. However, be assured that in reality, a great deal of time passes between each of my Reader's comments, and that I have left out many of the Reader's comments that explore dead-end ideas. To experience what the Reader experiences, requires much more than just reading through his lines. Think of his part as an outline for your own efforts.

Know Thyself

Reader (R): I don't know anything about probability, can I still make it through?

Professional (P): Let's give it a try. We may have to backtrack a lot at each step.

R: What does 30 random people mean?

"When I use a word, it means just what I choose it to mean"

P: Good question. It means we should assume that the birthdays of these people are all independent and that every birthday is equally likely for each person.

R: Isn't that obvious? Why bother saying that?

P: Yes it is kind of obvious, but the author is just setting the groundwork for later. Keep reading.

R: I don't understand that long formula, what's n ?

P: The author is solving the problem for any number of people, not just for 30. The author, from now on, is going to call the number of people n .

R: I still don't get it. So what's the answer?

Don't be a passive reader. Try out examples.

P: Well, if you want the answer for 30, just set $n = 30$.

R: Ok, but that looks too complicated to compute, where's my calculator? Let's see $365 \times 364 \times 363 \times \dots \times 336$. The answer won't even fit on my calculator! I can't even calculate the answer once I know the formula. How can I possibly understand where it comes from?

P: Is there another way to do the calculation? How many terms in your product? How many terms in the product on the bottom?

R: You mean 365 is 1 and 364 is 2? Then there are 30. There are also 30 terms on the bottom, (30 copies of 365).

P: Can you calculate the answer now?

R: Oh I see, I can do $365/365$ as the first term, and then multiply by $364/365$ and so on for 30 terms. This way the product never gets too big for my calculator. (After 3 minutes)... Ok I get .291745.

P: What does this number mean?

Don't miss the big picture.

R: I forgot what I was doing. Let's see. I was calculating the answer for $n=30$. The .291745 is everything except for subtracting from 1. If I keep going I get .708255. Now what does that mean?

P: Knowing probability would help. But simply, this means that the chance that two or more out of the 30 have the same birthday is 708,255 out of 1,000,000 or about 71%.

R: That's interesting. I wouldn't have guessed that. You mean that in my class with 30 students, there's a pretty good chance that at least 2 students have the same birthday?

P: You might want to take bets before you ask everyone their birthday. Most people don't think that a duplicate will occur. That's why some authors call this the birthday *paradox*.

R: So that's why I should read mathematics, to make a few extra bucks?

P: I see how that might give you some incentive. But I hope the math just inspires you on its own.

R: I wonder what the answer is for other values of n . I will try some more calculations.

P: That's a good idea. We can even make a picture out of all your calculations. We could plot a graph of the number of people versus the chance that a duplicate birthday occurs, but maybe this can be left for another time.

R: Oh look, the author did some calculations for me. He says that for $n=30$ the answer is about 71% and for $n=23$ it's about 50%. Does that make sense? I guess it does. The more people there are, the greater the chance of a common birthday. Hey I am anticipating the author. Pretty good. Okay let's go on.

P: Good, now you're telling me when to continue.

Don't read too fast.

R: It seems that we are up to the proof. What's this $Q(n)$? I guess that P stands for probability but what does Q stand for?

P: The author is defining something new. He is using Q just because it's the next letter after P , but Q is also a probability, and closely related to P . It's time to take a minute to think. What is $Q(n)$ and why is it equal to $1-P(n)$?

R: $Q(n)$ is the probability that no two people have the same birthday. Why does the author care about that? Don't we want the probability that at least one pair does have the same birthday?

P: Good point! The author doesn't tell you this explicitly. But between the lines, you can infer that he has no clue how to calculate $P(n)$ directly. Instead, he introduces $Q(n)$ which supposedly equals $1 - P(n)$. Presumably, the author will proceed next to tell us how to compute $Q(n)$. By the way, when you finish this article, you may want to deal with the problem of calculating $P(n)$ directly. That's a perfect follow up to the ideas presented here.

R: First things first.

P: Ok. So once we know $Q(n)$ then what?

R: Then we can get $P(n)$. Because if $Q(n) = 1 - P(n)$, then $P(n) = 1 - Q(n)$. Now why is $Q(n) = 1 - P(n)$? Does the author assume this is obvious?

P: Yes, he does, but what's worse, he doesn't even tell us that it is obvious. Here's a rule of thumb: when an author says *clearly this is true* or *this is obvious*, then take 15 minutes to convince yourself it is true. If an author doesn't even bother to say this, but just implies it, take a little longer.

R: How will I know when I should stop and think?

P: Just be honest with yourself. When in doubt, stop and think. When too tired, go watch TV.

R: So why is $Q(n) = 1 - P(n)$?

P: Let's imagine a special case. If the chance of getting two or more of the same birthdays is $1/3$, then what's the chance of not getting two or more?

R: It's $2/3$, because the chance of something not happening is the opposite of the chance of it happening.

Make the Idea Your Own

P: Well, you should be careful when you say things like *opposite*, but you are right. In fact, you have discovered one of the first rules taught in a course on probability. Namely, that the probability that something will not occur is 1 minus the probability that it will occur. Now go on to the next paragraph.

R: It seems to be explaining why $Q(n)$ is equal to the formula shown. I will never understand this.

P: The formula for $Q(n)$ is tougher to understand and the author is counting on your diligence and/or background here to get you through.

R: He seems to be counting all possibilities of something and dividing by the total possibilities, whatever that means. I have no idea why.

P: Maybe I can fill you in here on some background before you try to check out any more details. The probability of the occurrence of a particular type of outcome is defined in mathematics to be: the total number of possible ways that type of outcome can occur divided by the total number of possible outcomes. For example the probability that you throw a four when throwing a die is $1/6$. Because there is one possible four but there are six total possible outcomes. What's the probability you throw a four or a three?

R: Well I guess $2/6$ (or $1/3$) because the total number of outcomes is still six but I have two possible outcomes that work.

P: Good. Here's a harder example. What about the chance of throwing a sum of four when you throw two dice together. There are three ways to get a four (1-3, 2-2, 3-1) while the total number of possible outcomes is 36. Look at this 6x6 table below and convince yourself.

1-1, 1-2, ... 1-6

2-1, 2-2, ... 2-6,

3-1, 3-2, ..., 3-6,

...

6-1, 6-2, ... 6-6.

What about the probability of throwing a 7?

R: Well I can get a seven in six ways by 1-6, 2-5, 3-4, 4-3, 5-2 or 6-1. The total number of outcomes is still 36, so I get $6/36$ or $1/6$. That's weird, why isn't the chance just $1/12$ for each number?

P: Because that would imply that you have 12 possible outcomes and only one of them work. If you had one 12-sided die, that would be the case.

R: Okay, now I am an expert. Is probability just about counting?

P: In some sense, yes! But counting things is not always so easy.

R: I see, let's go on. By the way, did the author really expect me to know all this? My friend took Probability and Statistics and I am not sure he knows all this stuff?

P: There's a lot of information implied in a small bit of mathematics. Yes, the author expected you to know all this, or to discover it yourself just as we have done. If I hadn't been here, you would just have asked yourself these questions and answered them by thinking, looking in a reference or asking a friend.

R: So the chance that there are no two people with the same birthday is the number of possible sets of n birthdays without a duplicate divided by the total number of possible n birthdays. I don't like n so let me use 30. Perhaps the generalization to n will be easy to see.

P: Correct and good idea! It is often helpful to look at a special case before understanding the general case.

R: So how many sets of 30 birthdays are there total? I can't do it. Let's pretend there were only two people.

P: Fine let's let $n=2$. Now how many sets of 2 birthdays are there total?

R: I will number the birthdays from 1 to 365 and forget about leap years. Then these are the total possibilities:

1-1, 1-2, 1-3, ... , 1-365,

2-1, 2-2, 2-3, ... , 2-365,

...

365-1, 365-2, 365-3, ... , 365-365.

P: How many are there?

R: There are 365 times 365 total possibilities for two people.

P: Now how many are there when there are no duplicate birthdays?

R: I can't use 1-1, or 2-2, or 3-3 or ... 365-365, so I get

1-2, 1-3, ... , 1-365,

2-1, 2-3, ... , 2-365,

...

365-1, 365-2, ... , 365-364

The total number here is 365 times 364 since each row now has 364 instead instead of 365.

P: Good! You are going a bit too quickly here, but you're 100% right. Can you generalize now to 30? What are the total number of possible sets of 30 birthdays? Take a guess! You're getting good at this.

R: Well if I had to guess, (it's not really a guess, after all I already know the formula), I would say that for 30 people you get $365 \times 365 \times \dots \times 365$, 30 times, for the total number of possible sets of birthdays.

P: Exactly. This is 365^{30} . And the number of possibilities with no duplicates?

R: I know the answer should be $365 \times 364 \times 363 \times 362 \times \dots \times 336$, (that is, start at 365 and multiply by one less for 30 times), but I am not sure I really see why this is true. Perhaps I should have done the case with three people first?

P: Good. You probably need to go through more details more slowly to really see it, but at least you know where to head. Let's quit for today. The whole picture is there for you. When you are rested and you have more time, you can come back and fill in that last bit of understanding.

R: Thanks, it's been an experience. Later.